



TERRAIN MASTER 4x4



WWW.SAFETYONEINC.COM

Equipped with new design 15,000 lb. Bombardier winch and dozer blade the Terrain Master is ready for tree length logging.



Equipped with a hydraulic loader the Terrain Master is an economical forwarder of 4 foot or 8 foot pulp with loads of 2½ cords. Articulated steering on this 4 track vehicle guarantees efficient operation in snow, swamps and rough terrain.

SPECIFICATIONS
BOMBARDIER TERRAIN MASTER 4 x 4

WEIGHT

Vehicle with canopy	12,500 lbs
Payload	15,000 lbs
G. V. W.	27,500 lbs

DIMENSIONS

Over-all length w/o blade	238"
Over-all length with blade	268"
Over-all width	95.5"
Over-all height (top of canopy)	103"
Frame height	46"
Ground clearance	23"
Track width	30.5"

PERFORMANCE

Speed at 3500 engine RPM	13 MPH
Speed - 1st gear (max)	2 MPH
Max. gradability: forward	69%
Side	42%
P. S. I. unloaded	2.5
P. S. I. loaded	5.5
Turning radius . center line	11'
FORDING, DEPTH	40"

ENGINE

Gasoline V-8 Chrysler 318 Cu. In. Displacement.	190 H.P. at 4000 RPM
--	----------------------

TRANSMISSION

4 speed "New Process" with transfer case Forward &
Reverse

STEERING

Articulated Frame - Hydraulic power
Pivot steering - Dual cylinder controlled.

BRAKE

Drum type on transmission flange
Parking brake: drum type on transfer case flange

SUSPENSION

Tandem arms with rubber stabilizers

WHEELS (16)

32" dia. with solid rubber tires

TRACKS. (4)

30.5 inches wide made up of 2 belts and one piece
cross links

BELTS: Endless, reinforced with steel cable, 7 inches wide.

TRACK TENSIONER

Hydraulic, with safety release valve

DIFFERENTIALS (2)

Rockwell No-Spin	15,000 lb capacity
Drive Sprocket (8)	Rubber and Fabric
	Extra Heavy Duty

ELECTRICAL

12 Volt System with Alternator

WINCH

Bombardier 15,000 lbs pull

OPTIONAL ENGINES:

Diesel G. M. 453
Cummins V-8 185