





LMC
3700 C GROOMER



34



Groomer operators take pride in creating beautiful, groomed slopes from deep moguls, man-made snow, icy snow, and even 12 inches of new powder. They must peak, groom and fill all kinds of lumps, before the skiing day begins.

Our state-of-the-art GMC 3700C can overcome these tough jobs with ease. 250 horsepower, outstanding climbability, and ease of maintenance all contribute to the effectiveness of this new groomer.


Well-groomed slopes attract skiers. Let the 3700C be your new attraction.

LMC 3700 C GROOMER SPECIFICATIONS

Seating capacity	Two-man
Vehicle weight	11,400 lbs.
Ground pressure	
Full penetration72 psi
Tracks	Heavy-duty, 3-ply polyester, molded edge, heat treated steel cleats and tire guides
Brakes	Hydrostatic dynamic feedback, parking and emergency multi-disc fail safe
Engine	Caterpillar 3208 T turbocharged engine, 250 HP at 2600 R.P.M., 610 lb. ft. torque at 1400 R.P.M., 10.4 liter (636 cu. in.)
Transmission	Sundstrand 22 series pumps, 23 series two speed motors
Chassis . Steering	All steel, uni-construction Hydrostatic-independent to each track
Fuel capacity	60 gallons

PERFORMANCE DATA-CLIMBING ABILITY

Firm snow	100% of slope
Soft snow	70% of slope
Sidehill ability	80% of climbing
Maximum speed	11.5 mph



EXTERIOR FEATURES

Electric tilt cab with positive ventilation front and rear intermittent windshield wipers.

2 driving lights, 2 backup lights, 2 flood lights and 1 amber strobe light

Horn and backup alarm

Quick connect for rear accessories

INTERIOR FEATURES

Full hydraulics: 10-way front; 6-way rear

Complete instrumentation: volt meter, oil, fuel, tachometer, engine temp, trans temp, vacuum, hourmeter and pyrometer

Hydraulic drive trouble shooting panel

AM-FM stereo

Bucket seats with safety belts

Heated rear view mirrors

250 HP ENGINE FEATURES

80 amp alternator

Muffler system

WORK FUNCTIONS

Variable speed tiller pump with purchase of power tiller

Front filled urethane tires

Sawtooth design on front mounted, ten-way blade

LMC

Logan Manufacturing Company
A Subsidiary of De Lorean Manufacturing Company
P.O. Box 407, Logan, Utah 84321
(801) 753-0220

Made in U.S.A.

